

POWER INVERTERS



Ring 12v 150 - 500W plug-in inverters

Modified Sine Wave
Includes 2 amp USB socket
12v/240v

150W - RINVU150
300W - RINV300
500W - RINVU500

Dometic/Waeco Inverters

1000W > Includes integrated mains priority circuit & soft start function



PART NO.	MODEL	VOLTAGE	WATT
PP602-012/UK	PP602	12V	550
PP604-024/UK	99604	24V	550
PP1000-012/UK	PP1000	12V	1000
PP1004-024/UK	PP1004	24V	1000
PP2000-012/UK	PP2000	12V	2000
PP2004-024/UK	PP2004	24V	2000



PPT Power inverter

Modified Sine Wave
12v/240v

LA-INV001 - 12V 3000W
LA-INV002 - 12V 4000W
LA-INV003 - 12V 5000W
LA-INV004 - 24V 3000W
LA-INV005 - 24V 4000W
LA-INV006 - 24V 5000W



PPT Power inverter

Pure Sine Wave
12v/240v

LA-INV009 - 12V 350W
LA-INV010 - 12V 700W
LA-INV011 - 12V 1000W
LA-INV012 - 12V 1500W



PPT Modified Sine Wave Remote

For 1000w>
5 Metre lead

LA-2017



Dometic Modified/Sine Wave Remote

For 700W-3KW
7.5 Metre lead

MCR-9

PORTABLE POWER

BATTERY CHARGING & TESTING



Heavy duty battery hydrometer 0-060-00
Designed for large lead-acid auto batteries
Specific gravity range: 1.100° to 1.400°
Accuracy tolerance: 0.010° sg.



Digital Battery Tester 0-524-70
With Start-charge analyser for 12v batteries and systems,
For use on lead-acid auto batteries, wet cell, lead-calcium, sealed, deep cycle, agm, gel and maintenance free,



12v Digital Battery Load Tester RBA15
Testing for battery, alternator & starters.
125mp load current.
Selectable battery capacity.
Reverse polarity protection.



12v Digital Battery Analyser RBA50
Microprocessor controlled testing without loading the battery.
Scrolling alpha-numeric LED display
Selectable battery capacity & rating system
Reverse polarity protection



Digital Battery Tester for 6/12V Lead Acid Starter Batteries 0-524-72
With 12 and 24 volt start-charge analyser,
For use on lead-calcium automotive batteries including, Sealed, deep cycle, agm, gel, and maintenance free,



Discharge tester for use on 6/12v lead-acid automotive batteries, 0-524-08
Up to 120 amp hours, discharging them at 275 amps at 8 volts.
Legs adjust to most sizes of battery.
Instructions for safe use on heat shield,
Which is a non-asbestos material.



12v Solar-Powered Battery Maintainer

Can be left connected overnight.

RSP150 - 1.5WATT
RSP240 - 2.4WATT
RSP480 - 4.8WATT



Automatic Trickle Charger

12v 0.5 Amp Automatic battery charger
Ideally suited to long term battery maintenance

MP7402



Intelligent Battery Charger

6/12v 4 Amp Automatic battery charger
recommended for vehicles up to 2.5L
Lead-acid and 12V AGM batteries of 1.2Ah to 120Ah

MP7423



Electronic Smart Charger

12v 8 Amp Automatic battery charger
Suitable for vehicles up to 5L
Lead-acid and 12V AGM batteries of 1.2Ah to 192Ah

MP7428



Ring Standard Charge 8

12v 8 Amp Automatic battery charger
Fast & Slow charge settings
Polarity check for safe connection
H 215 x W 260 x D 105

RCB208



Electronic Smart Charger

6/12v 8 Amp battery charger
Suitable for vehicles over 1800cc
Lead-acid and 12V AGM batteries of 9Ah to 112Ah

MP7418



Automatic Battery Charger - 24V 10A

24 volt 10 amp, input 100 - 240v
Features: micro chip controlled three stage charging, allowing the charger to be left permanently connected without harming the battery.

0-647-60



Automatic Battery Charger

MP7418

12/24v 12 Amp battery charger
Suitable for vehicles up to 1800cc
Lead-acid and 12V AGM batteries of 20Ah to 160Ah



12/24v Metal Battery Charger

MP716

12/24v 12 Amp Automatic battery charger
Lead-acid and AGM batteries of 30Ah to 180Ah



12/24v Metal Battery Charger

MP750

12/24v 30 Amp Automatic battery charger
Lead-acid and AGM batteries of 120Ah to 320Ah



Ring Trade Charge 40T

RCBT40T

Professional 40A Automatic Trolley
Charger with 280A Jump Starter.
Selectable 12V and 24V outputs.
4 Charge settings
H 553 x W 293 x D 207



Ring Trade Charge 55T

RCBT55T

Professional 55A Automatic Trolley
Charger with 420A Jump Starter.
Selectable 12V and 24V outputs.
6 Charge settings and timer
H 640 x W 343 x D 270