

CRIMPING & CABLE TOOLS



Compact, robust crimping tool suitable for a variety of non-insulated terminals. Also features a cable cutter and spring return.

TT71



Deutsch crimp tool for closed barrel D-Sub contacts. AWG12-20 (0.5-4.0mm²)

0-703-20



Heavy Duty ratchet crimping tool suitable for a variety of non-insulated terminals.

TT73



Ratchet crimping tool for red, blue and yellow pre-insulated terminals. With adjustable tensioner, replaceable jaws and indents on jaws to identify which jaw has been used.

CT15
Length 225mm



Ratchet crimping tool suitable for pre-insulated heatshrink terminals, 0.5 - 6.0mm²

TT320
0.5 - 6mm²



Ratchet crimping tool for "Econoseal" and "Superseal" terminals.

0-703-51
0.5 - 2mm²




Heavy Duty Hammer/Vice Crimping Tool for Large Tube Terminals Suitable for copper tube connectors up to cable CSA of 95mm².

0-703-90
>95mm²




Heavy duty crimping tool suitable for crimping copper tube terminals.

TT80
10-120 mm²
Length 580mm



Heavy duty Hex crimping tool. Crimp is achieved by rotating the dies in the tool head for different terminal sizes.

TT82
10-120 mm²
Length 650mm



Heavy duty Hex crimping tool.
Crimp is achieved by rotating the dies in the tool head for different terminal sizes.

TT81
6-50mm²
Length 390mm



Automotive cable stripper/cutter
Also suitable for crimping pre-insulated and non insulated terminals.



Low cost cable cutters for cutting aluminium & copper non-armoured cables up to 38mm². Specially designed blades means the tool cuts without distortion, leaving a perfect finish.

PCC38 -
Up to 38mm²
Length 210mm.



Heavy duty cable cutters suitable for copper cables up to 70mm².

TT50 - 70mm²
Tool length 235mm.



Gas operated micro torch suitable for brazing, soldering etc. Adjustable flame. uses standard butane lighter fuel. Burning time approx. 60 minutes per refill.

TT95



Small Butane Blow Torch For low temperature soldering and heat shrinking of terminals and heat shrink sleeving.

0-450-99



Cargo Gas Soldering Iron Kit Max. temperature 1371°C when used as a torch. Max. temperature 510°C, when used for soldering.

211106

TORCHES / INSPECTION LAMPS




USB Rechargeable Head Torch
Motion sensor for contactless on/off
Recharge time 2.5 hours
High/low brightness modes

HT70



240v Heavy Duty Inspection Lamp
11w Fluorescent Bulb
5 Metre cable

RIL2000
49cm long
Bulb RIL200



Slim Compact Inspection Lamp
Rechargeable cordless
LED torch function
Lithium ion battery
Includes AC mains charger

RIL1900
26cm long



Inspection Light
17 LED
Magnetic and Hinged -
Torch function

RIL40



LED Inspection Light
15 High Intensity LEDs
Bright orange High-Vis design
Hook, stand & belt clip
Compact design
Virtually unbreakable

RIL2550HV



Dual LED Inspection Light
Main light - 350 Lumen
Top Light - 80 Lumen
Available with/without
charging cradle

HH190

HH190-1



UV LED Inspection Light
30 High Intensity LEDs
6 UV LEDs to help detect leaks
by showing up UV dyes
5 LED Torch function

RIL3100



Dye available to detect:
Coolant System leaks -
Surface water leaks -
Automotive Oil & fuel leaks -

RLD2
RLD3
RLD3



HD LED Inspection Light
Rotates 360° and 180°
High Intensity COB LEDs
250 Lumen output
Magnetic & Rechargeable

RIL3600



Ring MAGflex Slim Inspection Light
Main lamp 250 Lumen
Top light 150 Lumen
180° 7 Position Pivoting Magnetic base
Rechargeable

RIL3800HP



Ring Folding Inspection Light
400 Lumen
LED Charge Indicator
Rechargeable

RIL3900HP



Heavy Duty -
LED Inspection Light
4 x Brighter strip LED
Torch function
Lithium-ion battery
Hooks & magnetic fixing

RIL4000



LED Inspection Light
Latest COB technology
Wide-angle lens
240 Lumen & 120 Lumen modes
Rechargeable via 240v
Magnetic

RIL5300HPR



LED Autolamp Inspection Light
Hi 600 Lumen- Low 300 Lumen
Top Light 120 Lumen
120° 5 Position Pivoting Head
Battery indicator
Magnetic

HH340



Mini Cordless LED Rechargeable
Inspection Lamp
8W Super bright LED COB.
Variable lumen dimmer switch,
Magnetic

0-699-87



Durite 15W LED Inspection Light
Latest COB technology
Dimmable
410 Lumen
Rechargeable via 240v DC & USB
Flexible magnetic base

0-699-86



Hazard Safe ATEX LED Inspection Torch
safe for hazardous locations according to ATEX Regulations
-Ex ia IIC T4 Ga
Zone 0 classified. Suitable for use where ignitable
concentrations of flammable gases, vapour/liquids are
present. Ideal for use in bodyshops, tankers and the
petrochemical industry
200 Lumen - 4xAA Battery

RT5185



LED Map Light
12v only - IP40
Dual Colour - White/Red
Adjustable Arm

ML2771