

CRIMPING & CABLE TOOLS



Compact, robust crimping tool suitable for a variety of non-insulated terminals. Also features a cable cutter and spring return.

TT71



Deutsch crimp tool for closed barrel D-Sub contacts. AWG12-20 (0.5-4.0mm²)

0-703-20



Heavy Duty ratchet crimping tool suitable for a variety of non-insulated terminals.

TT73



Ratchet crimping tool for red, blue and yellow pre-insulated terminals. With adjustable tensioner, replaceable jaws and indents on jaws to identify which jaw has been used.

CT15
Length 225mm



Ratchet crimping tool suitable for pre-insulated heatshrink terminals, 0.5 - 6.0mm²

TT320
0.5 - 6mm²



Ratchet crimping tool for "Econoseal" and "Superseal" terminals.

0-703-51
0.5 - 2mm²



Heavy Duty Hammer/Vice Crimping Tool for Large Tube Terminals Suitable for copper tube connectors up to cable CSA of 95mm².

0-703-90
>95mm²




Heavy duty crimping tool suitable for crimping copper tube terminals.

TT80
10-120 mm²
Length 580mm



Heavy duty Hex crimping tool. Crimp is achieved by rotating the dies in the tool head for different terminal sizes.

TT82
10-120 mm²
Length 650mm



Heavy duty Hex crimping tool.
Crimp is achieved by rotating the dies in the tool head for different terminal sizes.

TT81
6-50mm²
Length 390mm



Automotive cable stripper/cutter
Also suitable for crimping pre-insulated and non insulated terminals.

TT45
0.5 - 6.0mm²



Side Cutters 6" for copper wire
For soft copper cable only.
Spring loaded handles with soft touch insulated grips. 13mm jaw opening, 160mm long.

0-704-20



Low cost cable cutters for cutting aluminium & copper non-armoured cables up to 38mm². Specially designed blades means the tool cuts without distortion, leaving a perfect finish.

PCC38 -
Up to 38mm²
Length 210mm.



Heavy duty cable cutters suitable for copper cables up to 70mm².

TT50 - 70mm²
Tool length 235mm.



Multi-function 8" Heavy Duty Wire Cutter scissors
hardened blade designed to cut up to 100mm² of copper wire.
7 size strippers AWG: 10-12-14-16-18-20-22
Terminal Crimper: 0.5-6mm² & 10-16mm²

0-704-25



Terminal Extraction Multi-tool
Removes pins from a variety of plugs/sockets.

0-703-99



Heavy Duty Battery Hydrometer
Specific gravity range 1.100 - 1.400°
Accuracy tolerance ± 0.010° SG

0-060-00

WORKSHOP EQUIPMENT



1800W Electric heat gun for use with heat shrink tubing and connectors. 400°C/600°C heat settings. Supplied with accessories.

HG2-KIT



Cargo Gas Soldering Iron Kit
Max. temperature 1371°C when used as a torch. Max. temperature 510°C, when used for soldering.

211106



Soldering Irons
With 3 LED Illumination Lamps
Moulded thermo-plastic handles.
Nickel-plated solid copper tips.
230V - 25W - Temp 400°C

0-448-25



Weller Soldering Iron - 230V 80W
With 3 LED Illumination Lamps
Moulded thermo-plastic handles.
Nickel-plated solid copper tips.

0-449-75
SOL7005



Temperature Controlled Soldering Iron
Magnastat Maintains a tip temperature of 370° C
230 volt, 100 watt

0-450-10
0-450-20



Gas operated micro torch
suitable for brazing, soldering etc.
Adjustable flame.
uses standard butane lighter fuel.
Burning time approx. 60 minutes per refill.

TT95



Small Butane Blow Torch
For low temperature soldering and heat shrinking of terminals and heat shrink sleeving.

0-450-99

WORKSHOP EQUIPMENT



Bench Power Supply Unit
designed to produce a stable
voltage supply for work shop
bench testing. Input 100- 240v

12v 10A- 0-649-10
24v 5A - 0-649-55



Durite Power Pack Converter
230V to 12V DC 7A 84W
Comes with cigarette plug 12V socket.

12v 7A- 0-649-07



Fixed 13.8v / 5-7amp Switch Mode
Power Supply
240vAC - 12vDC 5a cont/7a peak.

PS-SM5



6-24V Hand-Held Circuit Tester
Supplied with 24 volt bulb and a 1.5
metre lead with clip.

0-534-26



6-24V Energy Probe Tester
Multi-functional auto-electrician's circuit
testing tool with LCD display. Energises or
powers components, Voltmeter, Tests DC
polarity, Tests circuit continuity, Selects
positive or negative power output.

0-534-70



Digital Multimeter
3.5 digital LCD display
With test leads.
Spare leads available 210980

211167



Digital Multimeter
3.5 digital LCD display
With test leads.
Spare leads available 0-798-96

0-798-00



Infrared Thermometer
Used for measurement of surface temperatures
which are not suitable for physical contact:
1. high voltage areas,
2. high temperature non-touchable objects.
3. moving objects.

211128

WORKSHOP EQUIPMENT



20v 4.0ah Li-ion Battery for the
One Battery Fits All Range, Suitable for:
Impact hammer drill 1/2" 0-467-27 & 28
Impact Screwdriver 1/4" 0-467-21 & 22
Impact wrench 1/2" 0-467-40 & 41
COB LED Stand lamp 0-541-60
COB LED hand lamp 0-699-45
Air Compressor 0-674-30

0-467-42



20v 4.0ah UK 3-pin Fast Charger
For 0-467-42

0-467-43

The 3-PIN compatible charger has a LED diagnostics
& protects the battery and the charger against short circuit.
Suitable for: 20V 4.0Ah Li-ion Battery 0-467-42



Dual Function Rechargeable Air Compressor

0-674-30

Features two functions: inflate and deflate.
Powerfully, it inflates tyres up to 11 Bar/160 PSI.
LED backlit display that indicates the exact pressure.
2 nozzle adapters & sports needle
USB port
Fast 1 hour charge time with
0-467-42 battery/0-467-43 charger (purchase separately)



Super bright Rechargeable COB
LED Handheld Lamp

0-699-45

Easy rotatable design (up to 90°).
3 Light modes: 500/1000 Lumens/Flashing
Colour temperature 6500K
Up to 7 hours run time with 0-467-42 battery
Fast 1 hour charge time with
0-467-42 battery/0-467-43 charger (purchase separately)



Ultra bright Rechargeable COB LED Stand Lamp

0-541-60

Easy rotatable design (up to 180°).
2 Light modes: 1000/2000 Lumens
Colour temperature 8500K
USB port
Up to 6 hours run time with 0-467-42 battery
Fast 1 hour charge time with 0-467-43 charger
0-467-42 battery/0-467-43 charger (purchase separately)



3/8" 2-Speed Drill Driver - 12V 2AH 0-467-60
10mm keyless chuck - Max torque 25Nm
Screw driving speed: 0-350rpm
Drilling speed: 0-1250rpm
Supplied with 2 x 2.0Ah Lithium-ion batteries and 230V UK
& Euro charger.
Fast 1 hour charge time



Brushless Impact Screwdriver 0-467-21
Max torque 200Nm
Impact Rate 0-3200 IPM
No Load Speed 0-900/0-2000/0-2800rpm
Brushless motor and keyless chuck Full kit
supplied with screwdriver, battery and charger in a BMC
Fast 1 hour charge time



Cordless 1/2" Impact Wrench - 18v 3ah 0-467-30
No load speed: 0-2200rpm;
Impact rate: 0-2700ipm;
380Nm max. Torque.
Inc. 2 lithium ion batteries and a 230V UK charger.
4-LED indicator displaying the battery status.
Fast 1 hour charge time



Brushless Impact Wrench 0-467-40
Max torque: 1000Nm
Impact rate: 0-2300IPM
3 intelligent gear settings 0-900/0-1500/0-1900rpm
Brushless motor with reverse/forward function
Inc. wrench, battery and charger in a BMC case
Fast 1 Hour charge time



Double Speed Impact Hammer Drill 0-467-27
Max torque 130Nm
Impact Rate 0-8500, 0-29750 IPM
No Load Speed 0-500/0-1750rpm
Brushless motor and keyless chuck with
reverse/forward function
Full kit supplied with drill, battery and charger in a BMC
Fast 1 hour charge time

TORCHES / INSPECTION LAMPS

	<p>Micro Keyring Light Runs on a single AAA battery 50 Lumen - Water resistant Aircraft grade Aluminium</p>	TU312K
	<p>Durite mini LED rechargeable head torch Motion sensor for contactless on/off High/low brightness modes Up to 200 Lumen</p>	0-699-61
	<p>USB Rechargeable Head Torch Motion sensor for contactless on/off Recharge time 2.5 hours High/low brightness modes</p>	HT70
	<p>LED Rechargeable Headlight Torch With sensor switch High Mode - 150 Lumens / 20m / 4 Hrs Low Mode - 50 Lumens / 8m / 12 Hrs</p>	HT5
	<p>LED Rechargeable Headlight Torch High Mode - 115 Lumens / 30m / 4 Hrs Low Mode - 50 Lumens / 30m / 5 Hrs Rear red LED light for extra safety when working at night</p>	RIL0115
	<p>LED Rechargeable Headlight Torch With motion sensor High Mode - 350 Lumens Low Mode - 150 Lumens Side mount LED torch 150 Lumen</p>	0-699-59
	<p>LED Rechargeable Headlight Torch With motion sensor High Mode - 250 Lumens / 30m / 3 Hrs Low Mode - 140 Lumens / 0m / 6 Hrs</p>	RIL6400
	<p>Dual LED Inspection Light Main light - 350 Lumen Top Light - 80 Lumen Available with/without charging cradle</p>	HH190 HH190-1




LED Inspection Light
 15 High Intensity LEDs
 Bright orange High-Vis design
 Compact design
 Virtually unbreakable

RIL2550HV



Ring Magflex Mini250
 Rotates 180°
 250 Lumen output
 Works up to 6 hours from a single charge
 Magnetic & Rechargeable

RIL6100 - Black
 RIL6100B - Blue
 RIL6100Y - Yellow



Ring MAGflex Max 500
 Rotates 360° and 180°
 Integrated UV torch for leak detection
 500 Lumen output
 Works up to 7.5 hours from a single charge

RIL6200



Dye available to detect:
 Coolant System leaks -
 Surface water leaks -
 Automotive Oil & fuel leaks -

RLD2
 RLD3
 RLD3



HD LED Inspection Light
 Rotates 360° and 180°
 High Intensity COB LEDs
 250 Lumen output
 Magnetic & Rechargeable

RIL3600



Ring Folding Inspection Light
 400 Lumen
 LED Charge Indicator
 Rechargeable

RIL3900HP




Ring Rechargeable Slim LED Pocket Inspection Lamp
High 200, low 100, torch 50 lumens,
180° flex and 360° rotation motion
Magnetic

RIL86



Ring MAGflex Slim500
Main lamp 500 Lumen
Top/torch light 70 Lumen
180° Flex 270° Twist
Magnetic - Rechargeable

RIL6300



LED Autolamp Inspection Light
Hi 600 Lumen- Low 300 Lumen
Top Light 120 Lumen
120° 5 Position Pivoting Head
Battery indicator - Magnetic

HH340



Durite 15W LED Inspection Light
Latest COB technology
Dimmable - 410 Lumen
Rechargeable via 240v DC & USB
Flexible magnetic base

0-699-86



12v Flexible LED Map light,
12 bright white LEDs
with 6 red LED night light facility.
Switch on lamp head

0-669-13



LED Map Light
12v only or 24v only - IP40
Dual Colour - White/Red
Adjustable Arm

12v - ML2771
24v - ML2771/2



Magflex 1000 Super Flex Utility Light
Flexible under bonnet light.
Max: 1000Lm, Mid: 400Lm, Low:100Lm
Magnetic & hook fastening
Emergency red flash mode

RUBL1500

WORKSHOP EQUIPMENT