



Togg	le	Switches
------	----	----------

Single pole - ON/OFF -	K895lucar terms/K891screw terms
Single pole - OFF/ON(mom)-	K890screw terms
Single pole - ON/ON -	K892screw terms
Single pole - ON/OFF/ON -	K893screw terms/K899lucar terms
Single pole - MOM/OFF/MOM	- 0-496-00 / K852
Single Pole - Off/OnA/OnA+B	
Double Pole - ON/OFF	-K896 $\oint = 12.5$ mm
Double Pole - ON/ON	-180591
Double Pole - MOM/OFF/MOM	-180592/K855
Double Pole - ON/OFF/MOM	-180593
Double Pole - ON/OFF/ON	-180594/K897

Illuminated Toggle Switches

ON/OFF	RED -	K894R
	AMBER -	K894A
	GREEN -	K894G
	BLUE -	K894B

 $ightigged{} = 12.5 \text{mm}$



Splashproof Cover -

K891C



Toggle Switch Cover			
RED -	K889R		
BLUE -	K889B		
YELLOW -	K889Y		

CARBON - K889CARB CHROME - K889CH GREEN - K889G

-0)

Micro Toggle Switches
Flash/Off/Flash -
Changeover -

0-687-60 0-603-60

 \bigcirc = 6.5mm




Heavy Duty Toggle Switch- 20ampOn/off- Double pole0-495-00

otin=13mm





Indicator Switch ON/OFF/ON -Illuminated green lever





Indicator Switch ON/OFF/ON 121mm stalk

0-612-00



Brake light switch Normally closed Can be pushed or pulled to open circuit 0-579-50



Brake light switch

Normally open Can be pushed or pulled to open circuit 0-579-51



Illuminated Push/Pull Switch 12v RED - K464 BLUE - K462 AMBER - K461

GREEN - K463

Ø = 12.5mm



Push On/push Off, single pole switch with metal button 0-485-90






Push On/Push Off 0-690-51

)= 20mm



Push On/Push Off 12/24v LED 0-690-55





Push On/Push Off Switch Push ON/OFF 12/24v

0-485-91

SWITCHES



Micro Push-On/Push-Off Switch Push on/off - 0-485-92






Micro Push Button Switch Momentry 0-485-04

) = 7mm



Momentary push on 0-485-02





Stainless Steel Momentary Push On K588

Ø= 19mm



Plated Brass Momentary Push On K589

Ø= 19mm


onumber i = 16 mm



Midi Momentary Push On Screw Terminals - 030210B


Mini Momentary Push On

Spade terminals - 030209B





Momentary Push on Non-illuminated 0-690-50





Heavy Duty Momentary Push On Spade terminals - LAPBS1



Heavy Duty Momentary Push On Screw Terminals - 180121



(**/)**= 22mm

(**/)**= 20mm



Heavy Duty Momentary Push On K598 $\oint = 26$ mm



	Heavy Duty Momentary Push Button With cover K599	Ø= 16mm
	Heavy Duty Momentary Push Button With cover 0-485-50	Ø= 22mm
	Heavy Duty Momentary Push Button With cover 180215	Ø= 22.5mm
	Hazard Warning Light Switch Push on/Push Off 0-484-50 12v	Ø= 30mm
1 2	Elect. Window & Aerial Switch 18mm x 37mm	K697
	ON/OFF Rocker Switch with LED Amber - K471LED Red - K474LED Green - K473LED	Ø= 12.5 mm
I	On/Off Single-Pole Rocker Switch with PVC Cover 19.5 x 13mm panel hole	0-530-51
	ON/OFF Narrow illuminated Rocker Sw Amber - K401. Green - K403 Blue - K402. Red - K404. 20amp 12v bulb 12mm x 30mm	/itch
	ON/OFF Illuminated Rocker Switch 20mm x 34.5mm Amber	K631

SWITCHES



ON/OFF Round Rocker Switch 20MM

Red LED - K734 Blue LED - K732 Green - K733

Amber -K731 Without - K720 (12/24v versions available)



ON/ON Round Rocker Switch K725 Fits 20mm panel hole



ON/OFF Round Rocker Switch 20MM With Beacon symbol -0-531-18 With Worklight symbol - 0-531-11



ON/OFF Round Rocker Switch Red LED - K724 Amber - K721 () = 20 mm Blue LED - K722



Mini ON/OFF Round Rocker Switch 0-531-00 Fits 15mm panel hole



Rotary Light/Horn Switch - 0-645-70 Off/side/dip/main/horn push 0 = 14mm

SWITCHES



Rotary switch Off/side/head

0-656-04/180314 0 = 12.5 mm




Rotary switch 4 Position - suits fans etc

= 12.5mm 180158



Rotary switch Headlight/Fan OFF/ON(1)/ON(1+2)

K584



	Light switch (off/side/dip/beam) or off/on/on/on, four position rotary switch,	0-645-60 Ø= 27mm
D	Rotary Wiper switch On/On/On For 2 speed & self park wipers	0-646-50 Ø= 11mm
	Universal Door Switch 22mm x 11mm	180268
C	Ford Type Courtesy Light Switch 16mm spring loaded plunger with 9.5mm movement. Panel clearance 33mm	0-486-01 n
	Door switch 24mm x 40mm	180529 Ø= 21 mm
	Door pin switch Suitable for cutting to desired length	S-20
	Alarm Key Switch Basic ON/OFF 6A @ 12V Supplied with 2 keys	0-351-01 Ø = 18.5mm
	Ignition Key Switch PARK/OFF/ON/STARTER Supplied with 2 keys	K590 Ø = 19.5mm
	Ignition Key Switch PARK/OFF/ON/STARTER Supplied with 2 unique keys	0-351-03 Ø = 19mm











Ignition Key Switch

PARK/OFF/ON/STARTER Supplied with 2 keys & rubber cover

K583 (7) = 22 mm



4 Position Ignition Switch off/accessory/ignition/start Spare keys available -

0-351-05 0-351-09 (**∕∕)** = 22mm



Heavy Duty Ignition Key Switch

Off/Ignition/Pre-Heat/Heat Start Lucas 35670/35630 (4 terminal) Off/Ignition/Pre-Heat/Heat Start (5 Terminal) Lucas 35327

IS2

IS7 Spare keys available



Heavy Duty Ignition Key Switch

4 position: Off, ignition/ACC, glow, start with anti-restart DGIS10 5 position: ACC, off, ignition/ ACC, glow, start with anti-restart Spare keys DGIS10K

DGIS11



Five Hole Polished Aluminium Switch Panel

2 x ON/OFF (1 W/cover) 135mm x 65mm 2 x Warning light SW601 1 x K599 starter button



Three hole polished aluminium switch panel

1x ON/OFF With cover 89mm x 65mm 1x Warning light SW600 1 x K599 Starter button



Three hole polished aluminium switch panel

- 1 x K594 Isolator switch 135mm x 65mm
- 1 x K599 Starter button SW602
- 1 x Warning light







Heavy Duty Battery Isolator Switch12-50V181614200 Amp cont; 1000 amps for 5 seconds.



Lockable Rotary Battery Switch Rated 600 amps

H90 x W102 x D102mm

09-1106



Rotary Marine Battery Isolator/Changeover SwitchSelects between batteries one, two, both or off310 Amp0-605-10160 x 72mm.

SWITCHES

OE ROCKER SW/ITCHES

511 Series rocker switch

Fits mounting hole 22.1mm x 44.1mm Function cover supplied separately On/Off 12v - 180206 On/Off 24v - 180207 12v Bulb & Holder 511.502 24v Bulb & Holder 511.503

Other popular 511 series switches: momentary spring return change over on/off/on on/off/momentary on off/on/on off/on/momentry on (wiper&washer)

above switches may only be available to order

511/533 Series rocker switches Mounting Options





Blanking Intermediary End piece Plate 594.802 piece 596.273 594.801

6 Way frame 595.902

3 Way frame 595.502

533 Series rocker switch

Function cover supplied separately Fits mounting hole 22.1mm x 44.1mm Illuminated when ON

On/off 24v -533.006 Beacon insert - 588.712 Lamp insert - 588.142



180209	<u>کا</u> ز	181648	С
180210	<u> P</u>	181649	Ѐ
181462		181650	$\widehat{\mathcal{P}}$
181463		181651	
134779		181652	55
181641	Đ	181653	
181642	却	181654	P
181643	- <u>ˈ</u> Ċ	181655	₩J
181644	\triangle	181656	(P)
181645	尒	181657	ҾҀ
181646	hin	181659	Ê
181647	All	181660	¥#

