## **CCTV SYSTEMS**



**5" Double Input Camera System** Heavy duty 12-24v - IP67 20m extension cable - LA-TC20 Replacement Monitor - LA-TM581

LA-RVS5601



**7" Double Input Camera System**Heavy duty 12-24v - IP69
IR rearview camera
20m extension cable

LA-RVS7001



**7" Triple Input Camera System** Heavy duty 12-24v - IP67 20m extension cable - LA-TC20

LA-RVS7002



**7" Quad Camera System**Single view/split view/quad view selectable
Heavy duty 12-24v - IP67
Supplied with one camera

0-775-34



**Wireless Mini Car Camera System** 4.3" digital TFT-LCD monitor 8-30v 110° view

RCSW430



**12V Mini Car Camera System** 4.3" digital TFT-LCD monitor Micro Camera 170°

LA-CSW4301



7" GPS Satellite Navigation Enabled Reversing System Monitor for HGV 2 camera reversing & Mapping

LA-TM7002-GPS

## CAMERA & MONITOR SPARES



**Car Mini Butterfly Camera** 170° view angle

12v - IP68



LA-MNC01



**Drilled Hole Car Camera** 

17.5mm diameter 12v - IP68



LA-MNC02



**Universal Mini Car Camera** 

170° view angle 12v - IP69



LA-MNC04



**Body Mount Wedge Camera** 

Installs quickly into 20mm panel hole



PSC40



Fish Eye Camera

10 infrared led with 10m night vision 12v - IP69



LA-RVC07-N Compatible with:



**UFO Style Rearview Camera** 

Suits commercial vehicle, 12-24v For commercial vehicle, school buses etc.



LA-RVC04 Compatible with:





**Ball Eye Camera** 

120° view angle 12v - IP68



LA-RVC07 Compatible with:





**AHD Wide Angle Camera** 

160° view angle 12v - IP69



LA-RVC07-NI



**Side Camera** 

10 infrared led with 10m night vision 12v - IP68



LA-RVC08 Compatible with:



## **Mini Side Camera AHD**

720p - 170° 10 infrared led with 10m night vision 12v - IP69



LA-RVC08AHD



**Twin Lens Camera** 10 infrared led - 45ft night vision 120° viewing angle 12v - IP68



LA-RVC13 Compatible with:



**Shark Mount Camera**Extended reach for better viewing angle 12v
IP68



LA-RVC14
Compatible with:



**Numberplate Surround Camera** 

4 Night vision LEDs Dimensions: 525 x 37 x 125 mm



LA-RVC15 Compatible with:



Heavy Duty Night Vision Camera IR led 16pcs for night vision distance 45ft 12v



LA-RVC16 Compatible with:



**Round Bullet Camera** 

10 infrared led with 10m night vision 35mm Diameter 12v - IP68



LA-RVC17 Compatible with:



**Universal Forward Facing Camera**Window Mount
IP69



LA-RVC19 - 170° LA-RVC20 - 130° Compatible with:



Mini Dome Camera 150° 12v - IP69



LA-RVC27 Compatible with:



## **License Plate Camera**

180° Viewing angle 4 Night vision infrared LEDs 12v- IP68





## Fiat Ducato/ Peugeot Boxer/ Citroen Jumper Brake Light Camera

2006-15

Installs quickly into high-level brake light





# Ford Transit Connect Brake Light Camera

2014-2017 170° Installs quickly into high-level brake light





## Ford Transit Brake Light Camera

2013 On

Installs quickly into high-level brake light





# Ford Transit Custom Barn Door Brake Light Camera

>2016

Installs quickly into high-level brake light





## Ford Transit Custom Barn Door Brake Light Camera With LED insert 2016>

Installs quickly into high-level brake light






## **Iveco Daily Brake Light Camera**

2011-14

Installs quickly into high-level brake light





## Iveco Daily Brake Light Camera

2014 -

Installs quickly into high-level brake light





# Mercedes Sprinter/ VW Crafter Brake Light Camera

2007-2014

Installs quickly into high-level brake light



LA-RVC07-SC Compatible with:



# Mercedes Sprinter/ VW Crafter Brake Light Camera

2017

Installs quickly into high-level brake light



LA-RVC22 Compatible with:





## **Mercedes Vito Brake Light Camera**

Tail-lift Door 2016> 170° Installs quickly into high-level brake light



LA-RVC07-MV Compatible with:



## Peugeot Expert/Citroen Dispatch Brake Light Camera

2016>

Installs quickly into high-level brake light



LA-RVC07-PE Compatible with:



## Renault Master/ Vaux Movano/ Nissan NV400 Brake Light Camera

2010 -

Installs quickly into high-level brake light



LA-RVC07-RM Compatible with:



## Renault Trafic/ Vaux Vivaro/ Nissan NV300/ Fiat Talento Brake Light Camera

2010 -

Installs quickly into high-level brake light



LA-RVC07-RT Compatible with:



## **VW Caddy Brake Light Camera**

2013-2020 Barn door & tailgate
Installs quickly into high-level brake light



PSC45



# VW Crafter 2017>/ Man TGE 2016> Brake Light Camera

Installs quickly into high-level brake light



PSC44



## **VW Transporter T5/T6 Brake Light** Camera

2016> Single door models Installs quickly into high-level brake light



LA-RVC21 Compatible with:



## **VW Transporter T5/T6 Brake Light** Camera

2016> Double door models Installs quickly into high-level brake light



NOV-CAM781 Compatible with:



## **Universal Brake Light Camera**

Installs quickly as a high-level brake light



LA-RVC07-UNI Compatible with:



## 4.3" TFT Digital Monitor

12v Supplied with stand & RCA loom

PS007



## 4.3" Rearview Mirror Monitor

12V - Supplied without camera 2 Channel

PS5008



## 5" TFT Monitor

2 Channel input. Supplied with stand & loom LA-TM5001



## 5.6" TFT Monitor

2 Channel input. Supplied with stand & loom LA-TM5601



## 7" Rearview Mirror Monitor

12V - Supplied without camera

2 Channel

CLIP-ON - LA-MM7003 STALK - LA-MM7004 BOTH - LA-MM7005



7" LCD Monitor With Touch Button
3 Channel input.
Supplied with stand & loom

LA-TM7001



**7" AHD TFT Digital Monitor** 3 Channel input. Supplied with stand & loom

LA-TM7002AHD



**7'' Quad/ Split screen TFT Digital Monitor** LA-TMQ7002 12/24v Supplied with stand & loom 0-775-26

Also available w/recording option LA-TMQ700s-DVR

See page 147 for Dashcams & DVR Systems

## **ACCESSORIES**

## **Camera/Monitor Patch Leads**

Enable connection between various manufacturers camera and DVR systems.









A - 24841.00







B - 24840.00





**D - LA-F10F** 

C - 24861.00





E - 24867.00





F - 24867.01







G - 0-776-91





H - 0-776-92







K - 0-775-18



L - 0-776-88

M - LA-M10M

N - LA-AY20F



**7 Pin Trailer Cable Kit - Large Plugs**Suzie extension kit to fit most monitors and cameras

143-006 - (includes adaptors)

LA-TC7P



**7 Pin Trailer Cable Kit - Small Plugs** Suzie extension kit to fit most monitors and cameras

LA-TC7BR



**Camera extension lead**4 Pin Extension Lead
5 metre, 10 metre, 20 metre





**Centre Mount Monitor Bracket**Self adhesive and mounting holes for various mounting options.

143-008



**Heavy Duty Monitor Bracket** Replaces standard bracket Adjustable LA-BK04



**Heavy Duty Mirror Monitor Bracket** 

LA-AC540

## DIGITAL WIRELESS REVERSING CAMERA SYSTEMS



## **5" Wireless Reversing System** 2-channel - 1 camera included. Camera 0-775-29

0-775-41



7" Wireless Reversing System 2-channel - 1 camera included. 120m range - barrier free Camera PSK12

PS033K12



**Wireless Mini Car Camera System** 

4.3" digital TFT-LCD monitor 8-30v 110° view

RCSW430



7 inch HD 2.4GHz Digital Wireless **Quad-view Monitor** 

With recording. Quad-view, split-view and single view mode.

Camera LA-HDW871/897 300m range - barrier free LA-HDW127Q



**1080P 2.4GHz Digital Wireless Camera** LA-HDW871

Pairs with LA HDW127Q 10-32v IP69K

300m range - barrier free

LA-HDW897



1080P Wireless Camera with Built-in **Rechargeable Battery and Magnetic Base** 

Pairs with LA HDW127Q 10-32v IP69K

300m range - barrier free



## Digital Wireless Camera for Fork Trucks

LA-RVC23

500TVL 45 Deegree



## Rechargable battery with magnetic mount

AC509

Powers wireless Cameras like LA-RVC23



## **5db Magnetic Antenna for Wireless system**

LA-ANT1

Magnetic base 3mt Cable



## 3db Antenna for Wireless system

LA-ANT4

Adhesive base 3mt Cable

## **Wireless Transceiver and Receiver Kit**

LA-WTWR

Turns a standard wired kit into a wireless kit.





# LA DISTRIBUTION ARE AN APPROVED DISTRIBUTOR FOR BRIGADE ELECTRONICS



BACKEYE 360



CAMERA MONITORING SYSTEMS



MOBILE DIGITAL RECORDING



REVERSING AND WARNING ALARMS



ULTRASONIC OBSTACLE DETECTION



RADAR OBSTACLE DETECTION



**FLIR CAMERAS** 



**NORDIC LIGHTS** 

**CONTACT US FOR ALL YOUR BRIGADE REQUIREMENTS.** 

## DASH CAMS & DVR SYSTEMS



#### HD 720p resolution dash cam with 32GB **RDC1000** storage capacity

12v 110° view angle 2" LCD screen



#### **Smart Dash Camera with GPS Tracker** RSDC3000

12v - 2" LED Display 130° view angle WiFi enabled - works with Ring Connect App



## Ring Trade Pro2 Dash Cam 120°

Forward facing dash camera. Lockable Micro SD slot 64qb Micro SD card included.



#### Ring Trade Pro2 Dash Cam 120° RVEP2

Forward facing & interior facing cameras Lockable Micro SD slot 64gb Micro SD card included.



## Titan-1 hd 1080p Dash Cam

LA-DVR1 12/24v Lockable/Tamperproof Records on up to 8-128GB SD card (not included)



## 7" touch screen Monitor with output to control DVR

12/24v

LA-M0116B

RVEP1



7" Quad screen Monitor with output to control DVR 12/24v

LA-TMQ7002DVR



## DashGuard Full HD Dash Camera

LA-CRD02

140° view angle With WIFI & GPS input for 2<sup>nd</sup> camera Lockable



## **DashGuard Full HD Dash Camera**

Records on up to 128GB micro SD

LA-CRD03


Includes 2<sup>nd</sup> camera 140° view angle With WIFI & GPS Lockable Records on up to 128GB micro SD



## CCTV 4-Channel DVR Recorder with GPS LA-DVR376

& G Sensor

Monitor, cameras & SD card not included.





## **CCTV 4-Channel DVR Recorder with GPS** 0-776-80

Compatible with:

& G Sensor

12/24V. Full HD Built in GPS

Motion detection/Theft Protection

Speed monitoring and warning

Stores up to 4 camera videos onto 2 SD cards

(128GB each, not included)

Supplied with connecting cables and remote control.

Monitor, cameras & SD card not included.





## HD 4-Channel DVR + 4 Cameras - 12/24V

1 x 720p HD 4-channel DVR with hard drive (0-776-84 $^{0}$  $^{8}$ 775-87 0-776-79)

- 1 x 7" monitor (0-776-28)
- 1 x Rear 720p HD camera (0-776-08)
- 1 x Forward-facing 720p HD camera (0-776-45)
- 2 x Side 720p HD camera (0-776-09)
- 1 x 20m cable (0-775-19)
- 3 x 5m cables (0-775-25)

## **HD 8-Channel DVR + 5 Cameras - 12/24V** 0-775-86

1 x 720p HD 8-channel DVR with hard drive (0-776-81 & 0-776-79)



- 1 x 7" monitor (0-776-68)
- 2 x Rear 720p HD camera (0-776-08)
- 1 x Forward-facing 720p HD camera (0-776-45)
- 2 x Side 720p HD camera (0-776-09)
- 2 x 20m cable (0-775-19)
- 3 x 5m cables (0-775-25)

## CK1150-000



## ECCO 4-Camera DVR System 12/24V

1 x 7" LCD monitor

1 x 4 channel DVR & built in control box 500GB hard drive

Front camera, 2 side cameras, and a rear facing camera and all relevant cables.

## BUZZERS & BACKUP ALARMS



**Reverse Bulb with Buzzer** 

12V - DGRA12 24V - DGRA24

12v or 24v

**Small Interior Buzzer** 

12V - DGMB12

12v or 24v

Loud and urgent tone, 90dB at 20cm

24V - DGMB24



2 Tone Interior Buzzer

12V - 0-562-62

72dB - 2 terminal

24V - 0-562-74



**Reversing Alarm** 

Voltage specific CE Approved

105db

0-561-12 - 12v

0-561-24 - 24v



**Reversing Alarm** 

12/36V - 102db

L x 103mm H x 67mm W x 41mm

Fully sealed and waterproof

64G-102



**Reversing Alarm** 

12/24v - 97db 12/80v - 112db

Fully sealed and waterproof

520,000 RA20



**Night Silent Reversing Alarm** 

Disable alarm by double engage reverse or connecting via headlights

97db

Fully sealed and waterproof

520.004 - 12/24v



## Night Silent Reversing Alarm Disable alarm by switching on sidelights

AVR81 - 12/24v



## **Multi Message Talking Alarms**

12/24v

Can be programmed with any message e.g. "Fasten SeatBelts"

AVR15





## **Heavy Duty Reversing Alarm**

787-000

12/36v 112db

102db



## Multi-Frequency Reversing Alarm

12/24v - 87db **BBS-87** 12/24v - 97db **BBS-97** 12/24v - 107db **BBS-97** 



## Self Adjusting Multi-Frequency Alarm

12/24v - 87db SA-BBS-87 12/24v - 97db SA-BBS-97 SA-BBS-97 12/24v - 107db



## **Banshee Excel Lite™ Sounder Beacons**

Manufactured in flame retardant polymer 9-30v

> Standard Siren 903CHA6AO With Xenon beacon 958CHX1201 SE01201 Foam mounting gasket -External fixing bracket -8503100



#### Alarmalite

AVAL2800 - 2 POD AVAL4800 - 4 POD

When the alarm is activated the lights flash in unison with the sound.



When mute or half volume are selected the lights flash brighter to highlight the danger. Epoxy sealed for greater water resistance 2 pod or 4 pod available 12/24v

## PARKING SENSORS





Dual Purpose kits are suitable for front or rear use - Please state if you require extended leads (for front sensor fitting) - SENSORLEADS4.5 - Front

PART NO.	VOLTAGE	FITTING	FINISH	DIAMETER mm
PTS400DP-(GB)	12/24v	4 Dual Purpose	Gloss Black	18.8ID/22.90D
PTS400DP(MB)	12/24v	4 Dual Purpose	Matt Black	18.8ID/22.90D
PTS400DP(S)	12/24v	4 Dual Purpose	Silver	18.8ID/22.90D
PTS400DP(W)	12/24v	4 Dual Purpose	White	18.8ID/22.90D
PTSC1GB-2	12	4 Rear	Gloss Black	18.8ID/24.90D
PTSC1MB-2	12	4 Rear	Matt Black	18.8ID/24.90D
PTSC1S-2	12	4 Rear	Silver	18.8ID/24.90D
PTSC1W-2	12	4 Rear	White	18.8ID/24.90D
PTS400DP-OE	12	Rear OE Flush Fit	Matt Black	16mm

## WIRELESS REVERSING KITS

PART NO.	VOLTAGE	FITTING	FINISH	DIAMETER mm
PTS400Q4(C)	12/24v	4 Rear	Matt Black	18.8ID/24.90D
PTS400WI(C)	12/24v	4 Rear	Matt Black	18.8ID/24.90D



## Steelmate Dual-colour Digital Display

Surface mount

With-out digital numbers - VDDS1 With digital numbers - VDDS2



# **CAN Bus Interface - Speed Dependent Interface**

CAN Bus speed dependent interface provides CANM8-PARK-SM2 2 Outputs, specifically designed for the

control of our front parking systems from the vehicle's CAN Bus. A +12v controlled output is generated by the interface as soon as the vehicle's ignition is switched on, and another +12v that remains on while the vehicle speed is below (approximately) 6



## **Steelmate Hole Reducer**

0 degree Reduces from 25mm to 18.8mm SMAR001

## PARKING SENSORS



PART NO.	VOLTAGE	FITTING	FINISH	DIAMETER
F0194S	12	4 Front	Matt Black	25mm
R0194	12	4 Rear	Matt Black	25mm
R0294	12	4 Rear	Matt Black	22mm
R0394	12	4 Rear	Matt Black	17mm
F0394S	12	4 Front	Matt Black	17mm



## 194 Series Sensor

Sensor size: 25mm
Bumper hole size: 20mm
Protrudes by: 1.5mm
Hole edge overlap: 2.5mm



## **294 Series Sensor**

Sensor size: 22mm
Bumper hole size: 20mm\*
Protrudes by: 0.75mm

Hole edge overlap: 1mm



## **394 Series Sensor**

Sensor size: 17mm Bumper hole size: 17mm

Protrudes by: 0mm

Hole edge overlap: 0mm



# **Cobra 17mm punch tool – For Flush Mount Sensors** Punch tool suitable for use with Cobra Park Master flush mount sensor systems 394 Series.